

0

LED Batten Light with Sensor





Motion+daylight sensor Detection area: 2.5-4 metres Hold on time: 10s/1min/5min/30min With remote control

Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195





APPLICATION

Indoor lighting, with IP42, it can be used at supper market, family mart, corridor, parking lots, factory, warehouse, school, hospital, public building, metro station, train station, airport terminal and etc



SPECIFICATIONS

Item No.	ERS-AU12W60S	ERS-AU20W60S	ERS-AU12W120S	ERS-AU14W120S	ERS-AU16W120S	ERS-AU18W120S	
Product Size (mm)	700X83X72	700X83X72	1170X83X72	1170X83X72	1170X83X72	1170X83X72	
Power	12W	20W	12W	14W	16W	18W	
Efficiency	1800lm	3000lm	1800lm	2100lm	2400lm	2700lm	
Input Voltage	AC220–240V,50Hz						
Efficiency	150lm/w						
Sensor	Daylight & Microwave Motion Sensor, Sensing distance 2.5–4m						
Dimmable	PWM						
Driver Brand	ERS Element non—isolated driver 3 years warranty						
LED Type	SMD 2835						
ССТ	2700-6500K						
CRI	Ra > 80						
Power Factor	> 0.9						
Beam Angle	120°						
IP Rating	IP 42						
Warranty	3 years						
Working Temp	−20~50°C						
Lamp Body Material	PC+SPCC						

Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District,Shenzhen, China Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195





Item No.	ERS-AU24W120S	ERS-AU36W120S	ERS-AU40W120S	ERS-AU48W150S	ERS-AU50W150S	ERS-AU54W150S		
Product Size (mm)	1170X83X72	1170X83X72	1170X83X72	1470X83X72	1470X83X72	1470X83X72		
Power	24W	36W	40W	48W	50W	54W		
Efficiency	3600lm	5400lm	6000lm	7200lm	7500lm	8100lm		
Input Voltage	AC220–240V,50Hz							
Efficiency	150lm/w							
Sensor	Daylight & Microwave Motion Sensor, Sensing distance 3–5m							
Dimmable	PWM							
Driver Brand	ERS Element non—isolated driver 3 years warranty							
LED Type	SMD 2835							
ССТ	2700-6500K							
CRI	Ra > 80							
Power Factor	> 0.9							
Beam Angle	120°							
IP Rating	IP 42							
Warranty	3 years							
Working Temp	−20~50°C							
Lamp Body Material	PC+SPCC							

PACKING

Item No.	ERS-AU12/20W60S	ERS-AU12/14/16/18/24/36W120S	ERS-AU40/48/50/54W150S		
Carton Size (mm)	747X240X280	1210X235X280	1515X240X185		
Qty/CTN	9	9	6		
N.W.(KG)	11	14.6	12.8		
G.W.(KG)	11.7	16.1	14.2		

Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District,Shenzhen, China Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195






LED MANUAL INSTRUCTION

Safety Notice:


- Installation should be done by registered electricians.
- Before replacing the driver, please switch off the power supply and wait until it cools down completely.


3 Never touch the working luminaire

- In any case of malfunction, switch off the power supply immediately, and do not try to repair it yourself.
- Repairment should only be done by registered electricians or official service agent.




Include





2	<u>.</u>		, 	2	-
		E4 MIN			
	-	E4 MAX			

E1(mm) E2(mm) E3(mm) E4(mm)Min E4(mm)Max **Product Size** 700x83x72mm 493 700 638 270 400 1170x83x72mm 693 1170 680 870 1107 B 1470 1470x83x72mm 1263 1407 980 1180




Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195







Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District,Shenzhen, China Warehouse Add: 57 Tamard Dr, Braeside VIC 3195





DETAILS





Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195

